Rodex Whole Wheat Bait

ANTICOAGULANT RODENTICIDE + HUMAN TASTE DETERRENT

1. Identification of the substance, its preparation, and the supplying company.

Product Name : Rodex Whole Wheat Bait.

Product Code : RDXWWB

Intended Use : Ready for use rodenticide containing 50 ppm bromadiolone

Supplier : PelGar International Ltd., Unit 13 Newman Lane, Alton, Hants GU34 2QR UK.

Telephone & Fax : Tel 44(0) 1420 80744 Fax 44(0) 1420 80733

2) Composition and information on the ingredients.

Composition : 0.005 % w/w bromadiolone, whole grain and food dye with denatonium benzoate.

Common Name	Classification	CAS No.	EEC Index No.	% w/w (w/v)
Bromadiolone	T+, R28, R48/25	28772-56-7		0.005

3) Hazards Identification

Hazard Classification for supply and use - NO SIGNAL WORD REQUIRED Health Hazards: Unlikely to cause harmful effects under normal conditions of handling and use

4) First Aid Measures

Symptoms of poisoning are typical of anticoagulants. In severe cases there may be bruising, haematomas of the joints and blood in the faeces or urine. An antidote, Vitamin K_1 (Phytomenadione BP), should be administered under the direction of a doctor who has access to a hospital laboratory. Doctors should refer to the Industry leaflet. "The Treatment of Anticoagulant Rodenticide Poisoning".

Ingestion : If swallowed, wash out mouth with water, then induce vomiting, if this has not already

occurred. Take victim to hospital immediately and obtain medical advice. Refer to the

Industry leaflet - "The Treatment of Anticoagulant Rodenticide Poisoning", 1988.

Skin Contact : Remove contaminated clothing. Wash exposed areas of skin immediately with water and as

soon as possible with soap and water. Contaminated clothing should be washed and dried

before re-issue.

Eye Contact : Hold eye(s) open and then irrigate eyes with copious amounts of warm water for at least 10

minutes. Obtain medical advice immediately

Inhalation : Unlikely to present an inhalation hazard unless excessive dust is present. Remove person to

fresh air. Obtain medical advice immediately as a precaution

Further Medical treatment:

Vitamin K_1 (phytomenadione) is antidotal. Gastric lavage may be effective when performed within 4 hrs of ingestion. In the case of suspected poisoning, determine prothrombin times not less than 18 hrs after consumption. If elevated, administer vitamin K_1 and continue until prothrombin times normalise. Continue determination of prothrombin times for three days after withdrawal of antidote and resume treatment if elevation recurs during that time.

Rodex Whole Wheat Bait

ANTICOAGULANT RODENTICIDE + HUMAN TASTE DETERRENT

5) Fire Fighting Measures.

Keep fire exposed container cool by spraying with water.

Self-contained breathing apparatus should be worn by fire fighting personnel. Avoid run-off into water courses and contain run-off with temporary earth barriers or with other chemical sorptives.

Extinguishing Media: Do not use water-jets to extinguish fires or disperse spilt product, use carbon

dioxide, dry powder or alcohol foam, or a heavy, coarse, low-pressure water spray.

6) Accidental release measures.

Sweep up and shovel into waste drums or plastic bags. Protect against dust. Wash the contaminated area with water, taking care to prevent the washings from entering surface water drains.

Spillages or uncontrolled discharges into water courses must be notified to the appropriate Regulatory Authority or to the National River Authority.

7) Handling and Storage

Handling : Product must be handled in a safe manner. Read the label before use and avoid

contact with skin or eyes. Do not smoke drink or eat whilst using the product. Wash

hands and face before eating, drinking or smoking.

Storage : Store in original container under cool and dry conditions in a secure (lockable), well

ventilated place, inaccessible to children and away from foodstuffs, and animal

feedstuffs.

8) Exposure controls and personal protection

When using this product refer to the label for details.

Wear suitable respiratory protective equipment if exposure to levels above the occupational limit is likely Wear suitable protective clothing, gloves and eye/face protection.

Occupational Exposure Limit

	Long-term Exposure Limit (8 hr TWA reference period)		Short-term exposure Limit	
			(15 minute reference period)	
	ppm	mg m ⁻³	ppm	mg m ⁻³
Bromadiolone				

Rodex Whole Wheat Bait

ANTICOAGULANT RODENTICIDE + HUMAN TASTE DETERRENT

9) Physical and Chemical properties

Form : Whole grain

Colour : Red

Odour Slight, pleasant Not applicable рН Not applicable B.Pt (Deg. C) M. Pt. (Deg. C) Not applicable Flash Point (Deg. C) Not available Auto Ignition Temp (Deg. C) Not available **Explosive Properties** Not applicable Flammability Not applicable Not applicable Oxidising Properties Vapour Pressure (mm Hg) Not available Solubility (Water) Insoluble Partition coefficient Not applicable Specific Gravity Bulk Density c. 0.6

10) Stability and Reactivity

Hazardous Decomposition Combustion or thermal decomposition will evolve toxic and irritant

Products : vapours.

11) Toxicological Information

This health hazard assessment is based on information available on similar formulations. Ingestion : Oral Median Lethal Dose (calculated) approx. 26 g/kg (rat)

Skin Contact : Unlikely to cause skin irritation man.

Eye Contact : Unlikely to cause eye irritation in man

Inhalation : Unlikely to cause harmful effects under normal conditions of handling and use

12) Ecological Information

Toxicity: When used as directed, unlikely to be hazardous to aquatic life

Rodex Whole Wheat Bait

ANTICOAGULANT RODENTICIDE + HUMAN TASTE DETERRENT

13) Disposal Considerations

Product : Do not contaminate ponds, waterways or ditches with product or empty packs.

Pack : Dispose of product and empty packs according to Local Authority and National

requirements. For further guidance read the "Code of Practice for the Safe Use of

Pesticides on Farms and Holdings" available from HMSO

14) Transport Information

Not Classified as Dangerous for Conveyance

15) Regulatory Information

Not Classified as Dangerous for Supply.

This substance is covered by the Control of Pesticides Regulations (1986). It has therefore been labelled in accordance with these regulations.

User's should ensure that they comply with any relevant local, state or national legislation

EEC Classification : Under the Classification, Packaging and Labelling of Dangerous Substances

Regulations (1984), this material is not dangerous for supply or conveyance.

Safety Phrases : S1/2 Keep locked up. Keep out of reach of children.

Keep away from food, drink and animal feedstuffs.

S20/21 When using do not eat or drink or smoke.

This material and its container must be disposed of in a safe

way.

S46 In case of accident or if you feel unwell, seek medical advice

immediately (show the label where possible).

Keep only in the original container. Do not re-use container,

keep tightly closed in a safe place

16) If you require any further information please contact PelGar International Ltd.